



PLAN VIEW

NOTES:


1. ACTUAL LAYOUT DETERMINED IN FIELD.
2. THE CONCRETE WASHOUT SIGN SHALL BE INSTALLED WITHIN 30 FT OF THE TEMPORARY CONCRETE WASHOUT FACILITY.
3. WASH AREA TO BE CLEANED UP AND REMOVED AT END OF PROJECT AND AREA SOILED AND SODDED.
4. KEEP STRUCTURE WATER TIGHT. REPLACE LINER IF DAMAGED. EMPTY OR REPLACE STRUCTURE THAT IS 75 PERCENT FULL.
5. LOCATE MIN 50 FEET FROM OPEN CHANNELS, INLETS, AND WATER COURSES.
6. MIN. 1/8" Ø STEEL WIRE STAPLES, 4" IN LENGTH.



SECTION A-A



CONCRETE TRUCK WASH-OUT




*REDUCE POST SPACING TO 5'-0" AT WATER CONCENTRATION AREAS, OR AS REQUIRED TO ADEQUATELY SUPPORT FENCE.

SILT FENCE
NOT TO SCALE

SILT FENCE NOTES:

INSTALLATION TO MEET ALL CITY & STATE REGULATIONS


1. INSERT 12 IN. FABRIC MINIMUM 6 IN. DEEP (FABRIC MAY BE FOLDED BELOW GROUND LINE)
2. COMPACT GROUND BY DRIVING ALONG EACH SIDE OF SILT FENCE AS REQUIRED TO PREVENT PULLOUT AND FLOW UNDER FENCE.
3. IN DITCHES, EXTEND SILT FENCE UP SIDE SLOPE SO BOTTOM ELEVATION AT END OF FENCE IS MINIMUM 2 IN. HIGHER THAN TOP OF FENCE AT LOW POINT OF DITCH.
4. STEEL POSTS TO BE EMBEDDED 20 IN.
5. SECURE TOP OF FABRIC TO STEEL POSTS USING WIRE OR PLASTIC TIES (50 LB. MIN.).




ATTACHMENT TO POST

STORMWATER RUNOFF MANAGEMENT NOTES:

1. INSTALL INLET PROTECTION NEEDED TO PROTECT INLETS FROM CONSTRUCTION SEDIMENT RUNOFF. CONTROL MEASURES MUST BE PROPERLY INSTALLED AND MAINTAINED IN ACCORDANCE WITH GOOD ENGINEERING PRACTICES.
2. IF SEDIMENT ESCAPES THE CONSTRUCTION SITE, OFF-SITE ACCUMULATIONS OF SEDIMENT MUST BE REMOVED AT A FREQUENCY SUFFICIENT TO MINIMIZE OFF-SITE IMPACTS.
3. LITTER, CONSTRUCTION DEBRIS, AND CONSTRUCTION CHEMICALS THAT COULD BE EXPOSED TO STORM WATER MUST BE PREVENTED FROM BECOMING A POLLUTANT SOURCE IN STORM WATER DISCHARGES.
4. MODIFY AS NEEDED FOR CURB INLETS.




PLAN VIEW




ELEVATION

AREA INLET PROTECTION



SECTION



PLAN

STABILIZED CONSTRUCTION ENTRANCE